



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Outgoing quarantine transactions.*

## Passed Assistant Surgeon Hobdy reports:

*Week ended August 22.*

Vessels fumigated and certified.....	27
Vessels certified.....	59

*Report from Seattle, Wash.—Plague-prevention work.*

## Passed Assistant Surgeon Glover reports:

*Week ended August 29, 1908.*

## Date of finding of last plague rat, July 9, 1908.

Rats received .....	1, 529
Rats necropsied .....	1, 448
Plague rats found .....	0
Plague-infected rats to date .....	20
Vessels inspected.....	18
Vessels fumigated .....	2

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES  
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of July, 1908. Estimated population, 2,001,193. Total number of deaths reported to the State board of health, 2,482, including diphtheria 23, enteric fever 41, measles 9, scarlet fever 2, whooping cough 24, plague 2, and 308 from tuberculosis.

CONNECTICUT—*Stamford*.—Month of August, 1908. Estimated population, 22,000. Number of deaths not reported. Cases: Diphtheria 4, scarlet fever 8, enteric fever 2, and measles 11.

FLORIDA.—Reports from the State board of health for the week ended August 29, 1908, shows as follows: Enteric fever—*Jacksonville*, 8 cases; *Tampa*, *Tallahassee*, *Fernandina*, and *Macclenny* each 1 case. Tuberculosis—*Jacksonville*, 2 cases; *Palatka*, *Pensacola*, *De Funiak Springs*, *West Tampa*, and *Chattahoochee*, each 1 case.

INDIANA—*Muncie*.—Month ended September 2, 1908. Estimated population, 34,026. Total number of deaths, 33, including 3 from tuberculosis. Cases: Enteric fever 5, scarlet fever 1, and whooping cough 2.

IOWA—*Davenport*.—Month of August, 1908. Estimated population, 40,000. Total number of deaths not reported. Cases: Diphtheria 3, enteric fever 6, measles 7, tuberculosis 1, and whooping cough 7.

MASSACHUSETTS.—Reports from the State board of health for the month of July, 1908, show as follows: Week ended July 4, 1908. Forty-five cities and towns, having an aggregate estimated population of 2,292,795, report 645 deaths, including diphtheria 7, enteric fever 5, measles 5, and 48 from phthisis pulmonalis. Cases: Diphtheria 100,